Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:
L53

Display: 35 **Documents in Display Format:** - **Starting with Number** 1

Generate: ○ Hit List ⊙ Hit Count ○ Side by Side ○ Image

Search | Clear | Interrupt

Search History

DATE: Friday, June 08, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L54	L53	2	L54
L53	6825661.pn.	2	L53
L52	L51 and L41	12	L52
L51	L50 and L32	46	L51
L50	L49 and L27 and L29	1045	L50
L49	(324/300 |324/301 |324/302 |324/303 |324/304 |324/305 |324/306 |324/307 |324/308 |324/309 |324/310 |324/311 |324/312 |324/313 |324/314 |324/315 |324/316 |324/317 |324/318 |324/319 |324/320 |324/321 |324/322 or 600/410 |600/411 |600/412 |600/413 |600/414 |600/415 |600/416 |600/417 |600/418 |600/419 |600/420 |600/421 |600/422 |600/423 |600/424 |600/425 |600/426 |600/427 |600/428 |600/429 |600/430 |600/431 |600/432 |600/433 |600/434 |600/435 |600/436 |600/437 |600/438 |600/439 |600/440 |600/441 |600/442 |600/443 |600/444 |600/445).ccls.	21029	L49
L48	20030001572.pn.	2	L48
L47	20040090231.pn.	2	L47
L46	6249006	7	L46

DB=USPT; PLUR=YES; OP=ADJ

L45	'6198285'.pn.	1	L45
L44	'6229311'.pn.	1	L44
L43	'6229311'.pn.	1	L43

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L42	L41 and L32	13	L42
L41	L40 and L28	69	L41
L40	((shield$4 or treatment) adj room) and L27	295	L40
L39	(shield$4 near room) and L27	309	L39
L38	(shild$4 near room) and L27	0	L38
L37	(shild$4 adj room) and L27	0	L37
L36	L34 and counter$6	15	L36
L35	L34 and (target)	6	L35
L34	L32 and L27	57	L34
L33	L32 and (imaging near room)	1	L33
L32	L29 and (ceiling and floor and wall and room)	74	L32

DB=EPAB; PLUR=YES; OP=ADJ

| L31 | EP-1682913-A1.did. | 1 | L31 |

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L30	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	7	L30
L29	L28 and L28	13001	L29
L28	(magnetic near field) and (gradient near field)	13001	L28
L27	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	8855	L27
L26	L25 and L15	12	L26
L25	L24 and L6	46	L25
L24	L23 and L1 and L3	1045	L24
L23	(324/300-322 or 600/410-445).ccls.	21029	L23
L22	20030001572.pn.	2	L22
L21	20040090231.pn.	2	L21
L20	6249006	7	L20

DB=USPT; PLUR=YES; OP=ADJ

L19	'6198285'.pn.	1	L19
L18	'6229311'.pn.	1	L18
L17	'6229311'.pn.	1	L17

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L16	L15 and L6	13	L16
L15	L14 and L2	69	L15
L14	((shield$4 or treatment) adj room) and L1	295	L14
L13	(shield$4 near room) and L1	309	L13
L12	(shild$4 near room) and L1	0	L12
L11	(shild$4 adj room) and L1	0	L11

L10	L8 and counter$6	15	L10
L9	L8 and (target)	6	L9
L8	L6 and L1	57	L8
L7	L6 and (imaging near room)	1	L7
L6	L3 and (ceiling and floor and wall and room)	74	L6

DB=EPAB; PLUR=YES; OP=ADJ

| L5 | EP-1682913-A1.did. | 1 | L5 |

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L4	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	7	L4
L3	L2 and L2	13001	L3
L2	(magnetic near field) and (gradient near field)	13001	L2
L1	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	8855	L1

END OF SEARCH HISTORY

Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: L53

Display: 35 Documents in **Display Format:** - Starting with Number 1

Generate: ○ Hit List ⊙ Hit Count ○ Side by Side ○ Image

Search | Clear | Interrupt

Search History

DATE: Friday, June 08, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L54	L53	2	L54
L53	6825661.pn.	2	L53
L52	L51 and L41	12	L52
L51	L50 and L32	46	L51
L50	L49 and L27 and L29	1045	L50
L49	(324/300 |324/301 |324/302 |324/303 |324/304 |324/305 |324/306 |324/307 |324/308 |324/309 |324/310 |324/311 |324/312 |324/313 |324/314 |324/315 |324/316 |324/317 |324/318 |324/319 |324/320 |324/321 |324/322 or 600/410 |600/411 |600/412 |600/413 |600/414 |600/415 |600/416 |600/417 |600/418 |600/419 |600/420 |600/421 |600/422 |600/423 |600/424 |600/425 |600/426 |600/427 |600/428 |600/429 |600/430 |600/431 |600/432 |600/433 |600/434 |600/435 |600/436 |600/437 |600/438 |600/439 |600/440 |600/441 |600/442 |600/443 |600/444 |600/445).ccls.	21029	L49
L48	20030001572.pn.	2	L48
L47	20040090231.pn.	2	L47
L46	6249006	7	L46

DB=USPT; PLUR=YES; OP=ADJ

L45	'6198285'.pn.	1	L45
L44	'6229311'.pn.	1	L44
L43	'6229311'.pn.	1	L43

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L42	L41 and L32	13	L42
L41	L40 and L28	69	L41
L40	((shield$4 or treatment) adj room) and L27	295	L40
L39	(shield$4 near room) and L27	309	L39
L38	(shild$4 near room) and L27	0	L38
L37	(shild$4 adj room) and L27	0	L37
L36	L34 and counter$6	15	L36
L35	L34 and (target)	6	L35
L34	L32 and L27	57	L34
L33	L32 and (imaging near room)	1	L33
L32	L29 and (ceiling and floor and wall and room)	74	L32

DB=EPAB; PLUR=YES; OP=ADJ

L31	EP-1682913-A1.did.	1	L31

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L30	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	7	L30
L29	L28 and L28	13001	L29
L28	(magnetic near field) and (gradient near field)	13001	L28
L27	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	8855	L27
L26	L25 and L15	12	L26
L25	L24 and L6	46	L25
L24	L23 and L1 and L3	1045	L24
L23	(324/300-322 or 600/410-445).ccls.	21029	L23
L22	20030001572.pn.	2	L22
L21	20040090231.pn.	2	L21
L20	6249006	7	L20

DB=USPT; PLUR=YES; OP=ADJ

L19	'6198285'.pn.	1	L19
L18	'6229311'.pn.	1	L18
L17	'6229311'.pn.	1	L17

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L16	L15 and L6	13	L16
L15	L14 and L2	69	L15
L14	((shield$4 or treatment) adj room) and L1	295	L14
L13	(shield$4 near room) and L1	309	L13
L12	(shild$4 near room) and L1	0	L12
L11	(shild$4 adj room) and L1	0	L11

L10	L8 and counter$6	15	L10
L9	L8 and (target)	6	L9
L8	L6 and L1	57	L8
L7	L6 and (imaging near room)	1	L7
L6	L3 and (ceiling and floor and wall and room)	74	L6

DB=EPAB; PLUR=YES; OP=ADJ

L5	EP-1682913-A1.did.	1	L5

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L4	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	7	L4
L3	L2 and L2	13001	L3
L2	(magnetic near field) and (gradient near field)	13001	L2
L1	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	8855	L1

END OF SEARCH HISTORY

Create A Case

Select?	Database	Query	Plural	Op	Thesaurus	Set Name
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	YES	ADJ		L1
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(magnetic near field) and (gradient near field)	YES	ADJ		L2
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L2 and L2	YES	ADJ		L3
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	YES	ADJ		L4
☑	EPAB	EP-1682913-A1.did.	YES	ADJ		L5
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L3 and (ceiling and floor and wall and room)	YES	ADJ		L6
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L6 and (imaging near room)	YES	ADJ		L7
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L6 and L1	YES	ADJ		L8
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L8 and (target)	YES	ADJ		L9
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L8 and counter$6	YES	ADJ		L10
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 adj room) and L1	YES	ADJ		L11
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 near room) and L1	YES	ADJ		L12
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shield$4 near room) and L1	YES	ADJ		L13
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((shield$4 or treatment) adj room) and L1	YES	ADJ		L14
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L14 and L2	YES	ADJ		L15
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L15 and L6	YES	ADJ		L16
☑	USPT	'6229311'.pn.	YES	ADJ		L17
☑	USPT	'6229311'.pn.	YES	ADJ		L18
☑	USPT	'6198285'.pn.	YES	ADJ		L19
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	6249006	YES	ADJ		L20
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20040090231.pn.	YES	ADJ		L21
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20030001572.pn.	YES	ADJ		L22

☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/300-322 or 600/410-445).ccls.	YES	ADJ	L23
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L23 and L1 and L3	YES	ADJ	L24
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L24 and L6	YES	ADJ	L25
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L25 and L15	YES	ADJ	L26
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	YES	ADJ	L27
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(magnetic near field) and (gradient near field)	YES	ADJ	L28
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L28 and L28	YES	ADJ	L29
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	YES	ADJ	L30
☑	EPAB	EP-1682913-A1.did.	YES	ADJ	L31
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L29 and (ceiling and floor and wall and room)	YES	ADJ	L32
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L32 and (imaging near room)	YES	ADJ	L33
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L32 and L27	YES	ADJ	L34
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L34 and (target)	YES	ADJ	L35
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L34 and counter$6	YES	ADJ	L36
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 adj room) and L27	YES	ADJ	L37
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 near room) and L27	YES	ADJ	L38
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shield$4 near room) and L27	YES	ADJ	L39
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((shield$4 or treatment) adj room) and L27	YES	ADJ	L40
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L40 and L28	YES	ADJ	L41
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L41 and L32	YES	ADJ	L42
☑	USPT	'6229311'.pn.	YES	ADJ	L43
☑	USPT	'6229311'.pn.	YES	ADJ	L44
☑	USPT	'6198285'.pn.	YES	ADJ	L45
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	6249006	YES	ADJ	L46
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20040090231.pn.	YES	ADJ	L47
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20030001572.pn.	YES	ADJ	L48

(324/300 |324/301 |324/302 |324/303

☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	|324/304 |324/305 |324/306 |324/307 |324/308 |324/309 |324/310 |324/311 |324/312 |324/313 |324/314 |324/315 |324/316 |324/317 |324/318 |324/319 |324/320 |324/321 |324/322 or 600/410 |600/411 |600/412 |600/413 |600/414 |600/415 |600/416 |600/417 |600/418 |600/419 |600/420 |600/421 |600/422 |600/423 |600/424 |600/425 |600/426 |600/427 |600/428 |600/429 |600/430 |600/431 |600/432 |600/433 |600/434 |600/435 |600/436 |600/437 |600/438 |600/439 |600/440 |600/441 |600/442 |600/443 |600/444 |600/445).ccls.	YES	ADJ	L49
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L49 and L27 and L29	YES	ADJ	L50
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L50 and L32	YES	ADJ	L51
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L51 and L41	YES	ADJ	L52

Please enter the case name: 595_474_10

| Create Case | Clear All | Reset | Cancel |

Rules for naming Cases

- Case names can only contain alphanumeric characters including underscore (_).
- Any other special characters or punctuation characters will be automatically removed prior to saving the case.
- All white space characters will be replaced by an underscore.

Create A Case

Select?	Database	Query	Plural	Op	Thesaurus	Set Name
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	YES	ADJ		L1
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(magnetic near field) and (gradient near field)	YES	ADJ		L2
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L2 and L2	YES	ADJ		L3
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	YES	ADJ		L4
☑	EPAB	EP-1682913-A1.did.	YES	ADJ		L5
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L3 and (ceiling and floor and wall and room)	YES	ADJ		L6
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L6 and (imaging near room)	YES	ADJ		L7
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L6 and L1	YES	ADJ		L8
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L8 and (target)	YES	ADJ		L9
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L8 and counter$6	YES	ADJ		L10
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 adj room) and L1	YES	ADJ		L11
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 near room) and L1	YES	ADJ		L12
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shield$4 near room) and L1	YES	ADJ		L13
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((shield$4 or treatment) adj room) and L1	YES	ADJ		L14
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L14 and L2	YES	ADJ		L15
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L15 and L6	YES	ADJ		L16
☑	USPT	'6229311'.pn.	YES	ADJ		L17
☑	USPT	'6229311'.pn.	YES	ADJ		L18
☑	USPT	'6198285'.pn.	YES	ADJ		L19
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	6249006	YES	ADJ		L20
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20040090231.pn.	YES	ADJ		L21
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20030001572.pn.	YES	ADJ		L22

☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/300-322 or 600/410-445).ccls.	YES	ADJ	L23
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L23 and L1 and L3	YES	ADJ	L24
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L24 and L6	YES	ADJ	L25
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L25 and L15	YES	ADJ	L26
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((electromagnetic near shield) or shield) and ((magnetic adj resonance) or mri or nmr)	YES	ADJ	L27
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(magnetic near field) and (gradient near field)	YES	ADJ	L28
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L28 and L28	YES	ADJ	L29
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((radio adj frequency) and (RF adj pulse)) and (electromagnetic adj effect)	YES	ADJ	L30
☑	EPAB	EP-1682913-A1.did.	YES	ADJ	L31
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L29 and (ceiling and floor and wall and room)	YES	ADJ	L32
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L32 and (imaging near room)	YES	ADJ	L33
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L32 and L27	YES	ADJ	L34
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L34 and (target)	YES	ADJ	L35
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L34 and counter$6	YES	ADJ	L36
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 adj room) and L27	YES	ADJ	L37
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shild$4 near room) and L27	YES	ADJ	L38
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shield$4 near room) and L27	YES	ADJ	L39
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((shield$4 or treatment) adj room) and L27	YES	ADJ	L40
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L40 and L28	YES	ADJ	L41
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L41 and L32	YES	ADJ	L42
☑	USPT	'6229311'.pn.	YES	ADJ	L43
☑	USPT	'6229311'.pn.	YES	ADJ	L44
☑	USPT	'6198285'.pn.	YES	ADJ	L45
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	6249006	YES	ADJ	L46
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20040090231.pn.	YES	ADJ	L47
☑	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20030001572.pn.	YES	ADJ	L48

(324/300 |324/301
|324/302 |324/303

PALM Intranet

Application
Number [   ] | Submit |

IDS Flag Clearance for Application 10595474

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
Update					